

Starting and Staying on Track With WAKIX

WAKIX is a **once-daily tablet medication** that is **FDA approved to treat excessive daytime sleepiness (EDS) or cataplexy in children 6 years of age and older with narcolepsy.**

When starting a medication, especially one for a chronic disorder like narcolepsy, it is important to talk to your child's healthcare provider so they can help you and your child understand what to expect with treatment.

What should I tell my child's healthcare provider before starting WAKIX?



Before your child starts WAKIX, tell their healthcare provider if they:

- Are allergic to pitolisant or any ingredient in WAKIX
- Have or have had any medical conditions, including heart, liver, or kidney problems
- Are taking any prescription or over-the-counter medicines, vitamins, or herbal supplements
- Are or could be pregnant

How should WAKIX be taken?



WAKIX tablets should be taken **once daily in the morning, as soon as your child wakes up**

If your child misses a dose, the next dose should be taken the following morning as soon as they wake up. **WAKIX should always be taken exactly as prescribed.** Depending on your child's prescribed dose, they may have to take more than one tablet. WAKIX tablets should not be split, crushed, or chewed.

TAKE WAKIX

- ✓ In the morning, as soon as your child wakes up
- ✓ Once a day, every day
- ✓ With or without food

DO NOT TAKE WAKIX

- ✗ Later in the day
- ✗ More than once a day
- ✗ Only on certain days

Indication

WAKIX is a prescription medicine used to treat excessive daytime sleepiness (EDS) or cataplexy in people 6 years of age and older with narcolepsy.

Important Safety Information

Do not take WAKIX if you are allergic to pitolisant or any ingredient in WAKIX, or if you have severe liver disease.

WAKIX can cause a change in the electrical activity of the heart known as QT prolongation. This is a heart rhythm problem that can lead to an abnormal heartbeat. You have a higher chance of getting QT prolongation if you have certain heart or other medical conditions, or if you take WAKIX with certain medicines. Tell your healthcare provider right away if you have a change in your heartbeat or if you feel dizzy or faint while taking WAKIX.

Tell your healthcare provider about all your medical conditions, including if you have any heart, liver, or kidney problems, or problems with blood levels of your electrolytes, such as potassium or magnesium.

Tell your healthcare provider about all the medicines you take or plan to take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking WAKIX with certain medicines may cause side effects or affect the way each other works.

Please see Important Safety Information continued on the next page and accompanying [Full Prescribing Information](#).

What should I expect when my child takes WAKIX® (pitolisant)?

Here are a few things to discuss with your child's healthcare provider:



WAKIX is not a stimulant

The way your child's body feels when taking WAKIX may be different from medications they have taken in the past.



It's important to give WAKIX time to work

Everyone responds to medication differently. It's important to know that WAKIX may take some time to work and for some people, it **may take up to 8 weeks** to achieve a response.



Discuss your child's progress with their healthcare provider

Talk with your child's healthcare provider about how they are feeling after starting WAKIX:

- Include any **improvements** you and your child notice as well as **any potential side effects**.
- **Don't stop or change the dose on your own** without talking to the healthcare provider first.
- The healthcare provider may be able to adjust the dose of WAKIX to find a dose that's right for them.

Important Safety Information (continued)

Hormonal birth control methods may not work while taking WAKIX. Use an alternative non-hormonal birth control method during treatment with WAKIX and for at least 21 days after stopping WAKIX.

Tell your healthcare provider if you are pregnant or planning to become pregnant. You are encouraged to enroll in the WAKIX pregnancy registry if you become pregnant while taking WAKIX. The registry collects information about the health of you and your baby. To enroll or obtain information from the registry, call 1-800-833-7460.

The most common side effects of WAKIX include insomnia, nausea, and anxiety in adults; and headache and insomnia in children. These are not all the possible side effects of WAKIX. Call your healthcare provider for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088. You can also report negative side effects to Harmony Biosciences at 1-800-833-7460.

Please see accompanying [Full Prescribing Information](#).

Visit WAKIX.com for additional information



WAKIX is a registered trademark of Bioprojet Europe, Ltd.
Harmony Biosciences name and logo are trademarks of
Harmony Biosciences Management, Inc. and are used herein by permission.
© 2026 Harmony Biosciences. All rights reserved.
US-WAK-2600219/Mar 2026

